

Listen and play the incomparable Mondri 236

In the new Mondri series Content allows access for a large group of organ enthusiasts to enjoy the qualities of the Invention Technology that has recently been developed by our company.

The Content Mondri is a versatile instrument that offers four distinct and unique sound worlds. Four different traditional specifications of stops are offered enabling you to play the works of the great masters in the particular sound of their actual time frame, thus doing justice to the pieces performed.

Elegant sound character

The technology has greatly contributed to improve the sound and the experience of the Mondri. Attention to detail and a further refinement have created a dynamic and comprehensive instrument you would want to carry on to play on an instrument and that keeps inspiring over time. The Content Convolution reverb is a standard feature in the Mondri series and offers a sampled reverb that holds all the idiosyncrasies of a particular acoustical environments.

You may select from ten different acoustical environments at choice. The sound reproduction system with the loudspeakers being fed from digital amps and powered by digital power supplies create an unparalleled sound. The result is a sound organ character that brings pleasure and inspiration for organists and listeners alike for many years to come.

Flexibility

Through the multitude of registration features, the four individual samples per stop and the easy way to adjust the organ and the individual stops and ranks to personal preferences by using the inbuilt PCC (Personal Control Center) a very flexible instrument has been created. Of course each individual stop is based on an individual and specific sample that has been recorded from famous pipe organs the world over. See, play and hear the Content Mondri and convince yourself of the intrinsic value of this fine instrument.

Important features Mondri 236

- 2 manuals
- 30 note parallel pedal board (optional: concave and radial concave)
- Console featuring extensive use of solid wood
- 4 independent specifications of stops
- 4 x 36 speaking stops
- Touch sensitive keyboards
- For each of the specifications of stops 10 x 45 = 450 programmable presets
- Convolution reverb
- Programmable General Crescendo
- Flexible PCC Personal Control Center
- VPP Virtual Player Position
- Cantus Firmus
- Automatic Pedal
- Over 30 historical temperaments
- Wind drawer select
- Flexible wind supply
- Physiologic expression pedals
- Standard in light or medium oak
- Additional options please consult your dealer or our pricelist



Stoplists Mondri 236

Baroque		Classic		Romantic		Symphonic	
Pedal	9	Pedaal	9	Pédalier	9	Pedal	9
Prinzipal	16'	Prestant	16'	Contrebasse	16	Open Wood	16'
Subbass	16'	Subbas	16'	Soubasse	16	Bourdon	16'
Contra Cello	16'	Violon	16'	Violonbasse	16	Violone	16'
Oktave	8'	Octaaf	8'	Basse	8	Principal	8'
Gedackt	8'	Gedekt	8'	Flûte	8	Flute	8'
Oktave	4'	Octaaf	4'	Flûte	4	Fifteenth	4'
Posaune	16'	Bazuin	16'	Bombarde	16	Trombone	16'
Trompete	8'	Trompet	8'	Trompette	8	Trumpet	8'
Cornet		Schalmeij		Clairon		Clarion	
	4'		4'		4		4'
Koppel Ped-Hw		Koppel Ped-Hw		Tirasse Grand Orgue		Great to Pedal	
Koppel Ped-Sw		Koppel Ped-Zw		Tirasse Récit Expressif		Swell to Pedal	
Hauptwerk	12	Hoofdwerk	12	Grand Orgue	12	Great	12
Quintadena	16'	Bourdon	16'	Bourdon	16	Bourdon	16'
Prinzipal	8'	Prestant	8'	Montre	8	Open Diapason 1	8'
Rohrflöte	8'	Roerfluit	8'	Flûte Harmonique	8	Open Diapason 2	8'
Spitzgamba	8'	Viola	8'	Bourdon	8	Stopped Diapason	8'
Oktave	4'	Octaaf	4'	Prestant	4	Principal	4'
Blockflöte	4'	Speelfluit	4'	Flûte	4	Suabe Flute	4'
Quinte	3'	Quint	3'	Quinte	2 ² /3	Twelfth	2 ² /3'
Super Oktave	2'	Octaaf	2'	Doublette	2	Fifteenth	2'
Sesquialter	II fach	Cornet	V	Cornet		Cornet	III-V rks.
Mixtur	IV fach	Mixtuur	IV-V	Plein Jeu	5 rgs.	Mixture	V rks.
Trompete	16'	Trompet	16'	Bombarde	7 rgs.	Double Trumpet	16'
Trompete	8'	Trompet	8'	Trompette	8	Trumpet	8'
Tremulant	0	Tremulant	0	Tremblant	0	Tremulant	0
				Accouplement Réc-G.O.		Swell to Great	
Koppel Hw-Sw		Koppel Hw-Zw		Accouplement Rec-G.O.		Swell to Great	
Schwellwerk	15	Zwelwerk	15	Récit	15	Swell	15
Prinzipal	8'	Salicionaal	8'	Diapason	8	Open Diapason	8'
Holzflöte	8'	Baarpijp	8'	Cor de Nuit	8	Stopped Diapason	8'
Ouintadena	8'	Quintadeen	8'	Flûte Traversière	8	Lieblich Gedackt	8'
Viola da Gamba	8'	Gamba	8'	Viole de Gambe	8	Salicional	8'
Voce Umana	8'	Céleste	8'	Voix Céleste	8	Vox Angelica	8'
Oktave		Salicet	4'			Principal	
	4'	Fluit	-	Principal Flûte Octaviante	4	Flute	4'
Spitzflöte	4'	Nasard	4'		4		4'
Nasat	3'		3'	Nasard	2 ² /3	Nasard	2 ² /3'
Waldflöte	2'	Gemshoorn	2'	Octavin	2	Fifteenth	2'
Terz	1 ³ /5'	Terts	1 ³ /5'	Tierce	13/5	Tierce	13/5'
Scharff	IV fach	Mixtuur	IV	Plein Jeu	4-5 rgs.	Mixture	IV rks.
Fagott	16'	Fagot	16'	Basson	16	Fagotto	16'
Trompete	8'	Schalmeij	8'	Trompette	8	Cornopean	8'
Oboe	8'	Vox Humana	8'	Basson-Hautbois	8	Hautboy	8'
Schalmey	4'	Trompet	4'	Clairon	4	Clarion	4'
Tremulant		Tremulant		Trémolo		Tremulant	
-				SPEELHULPEN			









Technical specifications Mondri 236

Organ styles	
Baroque (in Schnitger style)	
Pedal (9) / Hauptwerk (12) / Schwellwerk (15)	36
Classic (in Bätz and Witte style)	
Pedaal (9) / Hoofdwerk (12) / Zwelwerk (15)	36
Romantic (in Cavaillé-Coll style)	
Pédalier (9) / Grand Orgue (12) / Récit (15)	36
Symphonic (English influences)	
Pedal (9) / Great (12) / Swell (15)	36
Voice library	144
Accessories	

Accessories	
Tremulants	2
Couplers	3
AP (Automatic Pedal) programmable	•
MB (Mono Bass) range adjustable	•
RO (Reeds Off)	•
CF (Cantus Firmus)	•
VPP (Virtual Player Position) Console / Front / Church	•
Organ Select: Baroque / Classic / Romantic / Symphonic	•
Foot pistons	option
Extravoice	option
\	

Features	
Keyboards, 5 octaves (C-c4) Incl. Velocity for MIDI and Extravoices	2
30 notes (C-f ⁻) parallel pedal board	•
30 notes (C-f ⁻) parallel concave pedal board	option
30 notes (C-f¹) radial concave pedal board	option
Physiologic expression pedals (division adjustable)	2
General Crescendo pedal (programmable to existing expression pedals)	•
Height 236 (cm / inches)	176,5 / 70
Width 236 (cm / inches)	134 / 53
Depth 236 including pedal board (cm / inches)	93 / 37
Depth 236 without pedal board (cm / inches)	60 / 24
Weight 236 (kg / lbs)	250 / 99
Split console	option
Bench with music storage	•
Bench height adjustable	option
Other stains	option
Music rack illumination (LED)	•
Pedal board illumination (LED)	•

Capture system		
Memory Bank (45 per organ style)	180	
Crescendo Bank (1 per organ style)		
Set	•	
Presets (programmable)	10	
HR (Hand Registration)	•	
Preset Sequencer ◀▶	•	
Tutti (programmable)	•	
Cancel (O)	•	
Divisional capture system	option	
Total number programmable presets	1800	

Easy Main Menu	
Transposer (g-g#-a-a#-b-C-c#-d-d#-e-f)	•
Pitch / Fine tuning (409-472 Hertz)	•
Chorus	0-15
Reverberation Volume	0-15
General Volume	1-16
Memory Bank	1-45
Organ settings (adjustable per division)	
Historical temperaments (over 30 programmable versions)	•
Reverberation Convolution type	•
Mono Bass (programmable from C bis g¹)	•
Volume Balance: Internal Organ / Internal Reverberation / External Surround / External Reverberation	•
Volume Controls (adjustable per division)	•
Tremulant (depth and speed per division)	•
Bellows Stability (program and depth adjustable)	•
Expression Select (adjudge to a particular division or as crescendo pedal)	•
Manual Select (adjudge to a particular division)	•
Stop settings	
Volume (general and per individual key)	•
Wind (general and per individual key)	•
Chorus (general and per individual key)	•
Contour (general and per individual key)	•
Fluctuation (general and per individual key)	•
Wind chest (C/C#, Tierce and Chromatic settings)	•
Save & Reset menu	•
Demo Song menu (select per organ style)	•

Audio	
System	Multi channel
Channels	6
Speakers	12
Digital Amplifiers (dynamic power 30 Watts)	6
Integrated 3D Surround	•
External 3D Surround	option
General Volume Control via PCC	•
Reverb Volume Control via PCC	•

In and Outputs	
MIDI In - Out - Thru	•
Line-IN	Stereo
Line-OUT	Stereo
Headphone connector (16-32Ω)	•

Standard

© All rights reserved. Models and specifications may change without notification. Please be informed that pictures in this brochure may be different from the standard version as a result from the printing process. Appearance and options of the models in this brochure may vary according to local requirements. You are kindly invited to accurately verify the specifications of the individual models with your supplier.

